





INSULATED PINS

FENCING & LINE PINS
PROTECTION FROM UNDERGROUND CABLES

STOCK CODE: **102544**



ROAD

SAFETY

TECHNICAL EXPERIENCE

INSULATED PINS


FENCING & LINE PINS

PROTECTION FROM UNDERGROUND CABLES

Perfect for eliminating risk from unseen hazards. Suitable for compacted ground.

Mark out construction sites, road lining works, events & access points. Insulated pins to protect from underground cables.

Insulated line pins meet the highest industry standards and promote health & safety compliance.



KEY FEATURES

- Suitable for hardened and compacted ground.
- The insulated pins protect operatives from underground cables.
- Perfect for eliminating risk from unseen hazards.
- Mark out construction sites, road lining works, events & access
- Meet the highest industry standards and promote health & safety compliance.
- Ideal for use with a sledgehammer.

SPECIFICATIONS

- 1-meter standard length.
- 16mm diameter fibreglass shaft.
- Supplied with a reinforced steel cap.

SAFETY & ADVANTAGES

- Insulated, lightweight and highly visible.
- Designed to keep operators safe.
- Strong, resilient and long lasting.
- Highly versatile and rust resistant.
- Constructed to minimize hand-arm vibrations (HAV's).
- Complies with British Standard (BS) 8020 for insulated tools.





* Approximate dimensions.

Registered number 02868648

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

TRICEL UK

Tel: +44 (0)1453 791616 Tel: +353 (0)64 663 2421

TRICEL IRL

Registered number IE 075014

INSULATED PINS

1000X16MM

FENCING & LINE PINS

PROTECTION FROM UNDERGROUND CABLES






IDEAL FOR

- · Engineering contractors.
- · General contractors.
- Civil contractors.
- Councils.
- Safely marking out construction sites, road lining works, events & access points.
- Block work.
- · Home use.

ASSOCIATED PRODUCTS



NON-CONDUCTIVE PINS 1.2M FENCE PINS (102543)



NON-CONDUCTIVE LINE MARKERS 600MM, 750MM, 900MM LINE MARKERS (600MM 102545, 750MM 102456, 900MM 102547)





Registered number 02868648