

NON CONDUCTIVE LINE MARKERS
600MM, 750MM & 900MM LINE MARKER

STOCK CODE: **102545**, **102546**, **102547**



NON CONDUCTIVE LINE MARKERS 600MM, 750MM & 900MM LINE MARKER


Ideal for eliminating risk of striking underground power cable.

Tricel® non conductive fence pins & line markers protect the crews from underground electrical hazards. Meeting your health & safety obligations.

Non conductive line pins meet the highest industry standards and promote health & safety compliance.







PRODUCTS AVAILABLE:

- 600mm Line marker
- 750mm Line marker
- 900mm Line marker

SPECIFICIATIONS

- 100% non conductive to promote safety.
- Lightweight for easy storage and transportation.
- All units designed to be highly visible.
- Constructed using robust and extremely durable material.
- Optional tension clips available.
- Product holds no scrap.

Flexural strength	650MN/m²
Flexural modulus	
Tensile strength	500MN/m²
Electrical surface resistivity	
Volume resistivity	10 ¹² OHMS
Insulation resistance	M 0hm 1000
Dielectric strength @ 90º	Kv/mm 25
Dielectric strength @ 90°	KV 75
Permittivity @ 50 Hz	5
Dissipation factor	0.02
Comparative tracking	V 600





* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

TRICEL UK

Tel: +44 (0)1453 791616 Tel: +353 (0)64 663 2421

TRICEL IRL


Registered number 02868648 Registered number IE 075014

NON CONDUCTIVE LINE MARKERS 600MM, 750MM & 900MM LINE MARKER

ROAD **SAFETY**



ASSOCIATED PRODUCTS



1.2M FENCE PINS (102543)





INSULATED PINS 1M FENCING PINS & LINE PINS (102544)





* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

TRICEL UK

Tel: +44 (0)1453 791616 Tel: +353 (0)64 663 2421 Registered number 02868648

TRICEL IRL

Registered number IE 075014