

# ROAD SAFETY

BY TRICEL

40+ YEARS  
TECHNICAL  
EXPERIENCE



## NON CONDUCTIVE PINS

1.27M FENCE PINS

STOCK CODE: 102543



**TRICEL**

CONSTRUCTION

STOCK CODE:  
102543

# NON CONDUCTIVE PINS

1.27M FENCE PINS

Ideal for eliminating risk of striking underground power cable.

Tricel® non conductive fence pins & line markers protect the crews from underground electrical hazards. Meeting your health & safety obligations.

Non conductive line pins meet the highest industry standards and promote health & safety compliance.



**ROAD  
SAFETY**  
BY TRICEL

**40+**  
YEARS  
TECHNICAL  
EXPERIENCE

## SPECIFICATIONS

- 100% non conductive to promote safety.
- Lightweight for easy storage and transportation.
- All units designed to be highly visible.
- Constructed using robust and extremely durable material.
- Optional tension clips available.
- Product holds no scrap.

Flexural strength.....	650MN/m <sup>2</sup>
Flexural modulus.....	30GN/m <sup>2</sup>
Tensile strength.....	500MN/m <sup>2</sup>
Electrical surface resistivity.....	10 <sup>12</sup> OHMS
Volume resistivity.....	10 <sup>12</sup> OHMS
Insulation resistance.....	M Ohm 1000
Dielectric strength @ 90°.....	Kv/mm 25
Dielectric strength @ 90°.....	KV 75
Permittivity @ 50 Hz.....	5
Dissipation factor.....	0.02
Comparative tracking.....	V 600



\* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

**TRICEL UK**  
Tel: +44 (0)1453 791616

Registered number 02868648

**TRICEL IRL**  
Tel: +353 (0)64 663 2421

Registered number IE 075014



102543-1146073/1-TK-OCT2021

STOCK CODE:  
102543

# NON CONDUCTIVE PINS

1.27WM FENCE PINS

## ASSOCIATED PRODUCTS



**INSULATED PINS**  
1M FENCING PINS & LINE PINS  
(102544)



**NON-CONDUCTIVE LINE MARKERS**  
600MM, 750MM, 900MM LINE MARKERS  
(600MM 102545, 750MM 102456, 900MM 102547)

**ROAD  
SAFETY**  
BY TRICEL

**40+**  
YEARS  
TECHNICAL  
EXPERIENCE



\* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

**TRICEL UK**  
Tel: +44 (0)1453 791616

Registered number 02868648

**TRICEL IRL**  
Tel: +353 (0)64 663 2421

Registered number IE 075014

102543-1146073/1-TK-OCT2021