

# INDUSTRIAL ENCLOSURES

BY TRICEL

**40+** YEARS  
TECHNICAL  
EXPERIENCE



## IP66 ELECTRICAL ENCLOSURE

400 x 300 x 200MM SURFACE

FIRE RETARDANT TO BS 476, PART 7, 1997, CLASS 2

STOCK CODE: 105018



**TRICEL**

CONSTRUCTION

STOCK CODE:  
105018


# IP66 ELECTRICAL ENCLOSURE

400 x 300 x 200MM SURFACE  
FIRE RETARDANT TO BS 476, PART 7, 1997, CLASS 2

**INDUSTRIAL  
ENCLOSURES**  
BY TRICEL

**40+**  
YEARS  
TECHNICAL  
EXPERIENCE

Compliant with IEC 62208 (2011) - Empty enclosures for low-voltage switchgear and control gear assemblies.



Example: IP66 Electrical Meter Box

## DIMENSIONS

Internal dimensions: 366mm high x 256mm wide x 183mm deep  
Outside dimensions: 400mm high x 200mm wide x 300mm deep

## SPECIFICATION & KEY FEATURES

- IP66 rating suitable (EN 60529) suitable for electrical installations
- Certification of compliance with IEC 62208 (2011)
- Suitable for indoor or outdoor use
- Constructed from fire retardant GRP – Glass Reinforced Polymer.
- Fire retardant to BS 476, Part. 7, 1997, Class 2.
- Will not corrode, weather resistant.
- Complete with hinges, lock and key.
- Suitable for meters, electrical equipment, compressors, CCTV, industrial automation, marine etc.

\* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

**TRICEL UK**  
Tel: +44 (0)1453 791616

Registered number 02868648

**TRICEL IRL**  
Tel: +353 (0)64 663 2421

Registered number IE 075014